#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Tomoru Teruuchi et al. Art Unit: Unknown Serial No.: Not yet assigned Examiner: Unknown

Filed: January 23, 2002

Title : METHOD AND APPARATUS FOR ATTACHING ELECTRONIC SIGNATURE

TO DOCUMENT HAVING STRUCTURE

Commissioner for Patents Washington, D.C. 20231

### PRELIMINARY AMENDMENT

Prior to examination, please amend the application as follows:

## In the claims:

Amend claims 3, 4, 7, and 8 as follows:

- 3. An electronic signature method according to claim 1, wherein a rate of coincidence between the target document and the target document with an electronic signature is found from a rate of structural elements having authenticated electronic signatures to the whole structure.
- 4. An electronic signature method according to claim 1, wherein said concatenating step includes putting the generated electronic signatures in a row.
- 7. An electronic signature apparatus according to claim 5, wherein said means for concatenating puts the generated electronic signatures in a row.
- 8. An electronic signature apparatus according to claim 5, further comprising: means for analyzing the structure of the target document to verify the target document having the generated electronic signature; and

means for analyzing each of the electronic signatures of the structural elements of the target document.

'Applicant: Tomoru Teruuchi et al. Attorney's Docket No.: 13740-004001 / OH 332

Serial No.: Not yet assigned Filed: January 23, 2002

Page: 2

#### Add claims 11-20:

11. An electronic signature method according to claim 2, wherein a rate of coincidence between the target document and the target document with an electronic signature is found from a rate of structural elements having authenticated electronic signatures to the whole structure.

- 12. An electronic signature method according to claim 2, wherein said concatenating step includes putting the generated electronic signatures in a row.
- 13. An electronic signature method according to claim 3, wherein said concatenating step includes putting the generated electronic signatures in a row.
- 14. An electronic signature method according to claim 11, wherein said concatenating step includes putting the generated electronic signatures in a row.
- 15. An electronic signature apparatus according to claim 6, wherein said means for concatenating puts the generated electronic signatures in a row.
- 16. An electronic signature apparatus according to claim 6, further comprising: means for analyzing the structure of the target document to verify the target document having the generated electronic signature; and

means for analyzing each of the electronic signatures of the structural elements of the target document.

17. An electronic signature apparatus according to claim 7, further comprising: means for analyzing the structure of the target document to verify the target document having the generated electronic signature; and

means for analyzing each of the electronic signatures of the structural elements of the target document.

'Applicant: Tomoru Teruuchi et al.

Serial No.: Not yet assigned

Filed

: January 23, 2002

Page : 3

18. An electronic signature apparatus according to claim 15, further comprising: means for analyzing the structure of the target document to verify the target document having the generated electronic signature; and

Attorney's Docket No.: 13740-004001 / OH 332

means for analyzing each of the electronic signatures of the structural elements of the target document.

- 19. An electronic signature apparatus according to claim 17, wherein said means for analyzing the electronic signature determine a rate of coincidence between the target document and the target document with an electrical signature from a rate of structural elements having authenticated electronic signatures to the whole structure.
- 20. An electronic signature apparatus according to claim 18, wherein said means for analyzing the electronic signature determine a rate of coincidence between the target document and the target document with an electrical signature from a rate of structural elements having authenticated electronic signatures to the whole structure.

Applicant: Tomoru Teruuchi et al. Attorney's Docket No.: 13740-004001 / OH 332

Serial No.: Not yet assigned Filed: January 23, 2002

Page: 4

### REMARKS

Claims 1-20 are pending in this application with claims 1, 5, and 10 being independent. Claims 3, 4, 7, and 8 have been amended to better conform to U.S. practice. Claims 11-20 have been added. No new matter is added.

Attached is a marked-up version of the changes being made by the current amendment.

Applicant asks that all claims be examined. Please apply any charges or credits to Deposit Account No. 06-1050.

Respectfully submitted,

tion De Mare

Date: <u>January</u> 23, 2002

William D. Hare Reg. No. 44,739

Fish & Richardson P.C. 601 Thirteenth Street, NW Washington, DC 20005 Telephone: (202) 783-5070

Facsimile: (202) 783-2331

40084840.doc

\*Applicant: Tomoru Teruuchi et al. Attorney's Docket No.: 13740-004001 / OH 332

Serial No.: Not yet assigned Filed: January 23, 2002

Page: 5

## Version with markings to show changes made

# In the claims:

Claims 3, 4, 7, and 8 have been amended as follows:

3. An electronic signature method according to claim 1 [or 2], wherein a rate of coincidence between the target document and the target document with an electronic signature is found from a rate of structural elements having authenticated electronic signatures to the whole structure.

- 4. [A] An electronic signature method according to claim 1, [2 or 3,] wherein said concatenating step includes putting the generated electronic signatures in a row.
- 7. An electronic signature apparatus according to claim 5 [or 6], wherein said means for concatenating puts the generated electronic signatures in a row.
- 8. An electronic signature apparatus according to claim 5, [6 or 7,] further comprising:

means for analyzing the structure of the target document to verify the target document having the generated electronic signature; and

means for analyzing each of the electronic signatures of the structural elements of the target document.